SUGAR REGULATORY ADMINISTRATION

North Avenue., Diliman, Quezon City

BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 1

This **Supplemental Bid Bulletin No. 1** dated **June 22, 2020** is issued to inform the prospective bidders of the following amendments, modifications and clarifications on the items in the Philippine Bidding Documents (PBDs) for the **Supply and Delivery of Thirty Four (34) Units Brand New Tractors with Implements** as previously posted in the Philippine Government Electronic Procurement System (PhilGEPS) and the Sugar Regulatory Administration (SRA) website. This Supplemental Bid Bulletin shall form an integral part of the Bidding Documents.

ORIGINAL BID DOCUMENT	CLARIFICATIONS/CORRECTIONS /CHANGES	
Section I. Invitation to Bid	Section I. Invitation to Bid	
Item No.2	Item No.2	
Delivery of the Goods is required within one hundred twenty (120) calendar days from receipt of the Purchase Order (PO)/Notice to Proceed (NTP). Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.	Delivery of the Goods is required within <u>sixty (60)</u> <u>calendar days</u> from receipt of the Purchase Order (PO)/Notice to Proceed (NTP). Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.	
Section III. Bid Data Sheet	Section III. Bid Data Sheet	
ITB Clause 15.4(a)(iv)	ITB Clause 15.4(a)(iv)	
After sales service is required in the region where the equipment are delivered.	After sales service shall be available within 72 hours where the tractors and implements are delivered.	
Section VI. Schedule of Requirements	Section VI. Schedule of Requirements	

Lot No.	Description	Delivered, Weeks/ Months	Lot No.	Description	Delivered, Weeks/ Months
1	4WD TRACTOR (4 CYLINDER, 90 hp) and Implements - Disc Harrow - Three-Bottom Moldboard Plow	Within one hundred twenty (120) calendar days upon receipt of Notice to Proceed / Contract	1	4WD TRACTOR (4 CYLINDER, 90 hp) with Implements - Disc Harrow - Three-Bottom Moldboard Plow	Within sixty (60) calendar days upon receipt of Notice to Proceed / Contract
2	4WD TRACTOR (4 or 6 CYLINDER, 118-120 hp) and Implements - Disc Harrow - Ripper-Subsoiler	Within one hundred twenty (120) calendar days upon receipt of Notice	2	4WD TRACTOR (4 or 6 CYLINDER, 118-120 hp) with Implements - Disc Harrow - Ripper-Subsoiler	Within sixty (60) calendar days upon receipt of Notice to Proceed

Supplemental Bid Bulletin No.1 Supply and Delivery of Thirty Four (34) Units Brand New Tractors with Implements

to Proceed / Contract

Note:

- The supplier must have an owned and operated service-center within the island of delivery with at least 8 years of experience such brand being offered.
- After sales service is required in the region where the tractors and implements are delivered.

Section VII. Technical Specifications

Lot No.	Item/Description		
1	B. Specifications of a DISC HARROW (compatible a 4-cylinder, 90 hp Tractor)		
	Thickness of discs:	Not less than 6 mm	
	Main frame (mm):	132 x 132 x 7 ,square tubular mainframe, or its equivalent design	
	Distance between discs (standard):	228mm (9 inches)	

Note:

- The supplier must have an owned and operated service-center within the island of delivery with at least 8 years of experience such brand being offered.
- After sales service is required in the region where the tractors and implements are delivered.

Lot No.	Item/Description		
2	B. Specifications of a DISC HARROW (compatible to a 4 or 6 cylinder, 118-120 hp Tractor)		
	Thickness of discs:	Not less than 6 mm	
	Main frame (mm):	132 x 132 x 7 ,square tubular mainframe, or its equivalent design	
	Width of cut (mm, approx.):	2300	
	C. Specifications of a RIPPER-SUBSOILER (compatible to a 4 or 6-cylinder, 118-120 hp		

Note:

 The supplier must have an owned and operated service-center within the island of delivery with at least 4 years of experience such brand being offered.

Contract

 After sales service shall be available within 72 hours where the tractors and implements are delivered.

Section VII. Technical Specifications

Lot No.	Item/Description	
1	B. Specifications of a (compatible a 4-cylin	
	Thickness of discs:	<u>5-6 mm</u>
	Main frame (mm):	100 x 100 (4" x 4")
	Thickness of Mainframe:	<u>6-7 mm</u>
	Distance between discs (standard):	standard spool

Note:

- The supplier must have an owned and operated service-center within the island of delivery with at least <u>4 years</u> of experience such brand being offered.
- After sales service shall be available within 72 hours where the tractors and implements are delivered.

Lot No.	Item/Description		
2	B. Specifications of a DISC HARROW (compatible to a 4 or 6 cylinder, 118-120 hp Tractor)		
	Thickness of discs:	<u>5-6 mm</u>	
	Main frame (mm):	127 x 127 (5" x 5")	
	Width of cut (mm, approx.):	<u>deleted</u>	
		of a RIPPER-SUBSOILER or 6-cylinder, 118-120 hp	

Weight (kg, approx.):	850	Weight (kg, approx.):	deleted
Accessories:	Crumbler	Accessories:	deleted

Note:

- The supplier must have an owned and operated service-center within the island of delivery with at least 8 years of experience such brand being offered.
- After sales service is required in the region where the tractors and implements are delivered.

Note:

- The supplier must have an owned and operated service-center within the island of delivery with at least <u>4 years</u> of experience such brand being offered.
- After sales service shall be available within 72 hours where the tractors and implements are delivered.

Prepared by:

ARNOLD A. DE CASTRO Head, BAC Secretariat

Approved by:

JOSEPHINO N. AGOSTO
Chairperson, Bids and Awards Committee