



Republic of the Philippines  
Department of Agriculture

## SUGAR REGULATORY ADMINISTRATION


Sugar Center Bldg., North Avenue, Diliman, Quezon City, Philippines 1101

TIN 000-784-336

Website: <http://www.sra.gov.ph>

Email Address: [srahead@sra.gov.ph](mailto:srahead@sra.gov.ph)

Tel No. (632) 8929-3633, (632) 3455-2135, (632) 3455-3376



### SUPPLEMENTAL/BID BULLETIN NO. 1

#### **Supply and Delivery of Farm Implements**

**Bid Reference No. 2024-SIDA-25**

With reference to the Bidding Documents for the Supply and Delivery of Farm Implements, posted at the PhilGEPS and SRA websites, this Supplemental/Bid Bulletin is being issued after having conferred with the Technical Working Group and the Provisional Member/End-user Representative, to clarify, amend, and modify some items in the provisions of the Bidding Documents, in response to the recommendations raised by prospective bidders, as follows:

Section III. Bid Data Sheet			
From		To	
ITB Clause 21.2		ITB Clause 21.2	<b>A notarized undertaking confirming compliance with the required specifications for each farm implement must be submitted during the bid opening. Additionally, the offered unit will undergo a thorough inspection upon delivery to ensure adherence to the specified requirements. Failure to comply with these requirements will necessitate the replacement of the unit.</b>

Section VII. Technical Specifications			
From		To	
A.2	Brand new, heavy duty, locally fabricated with good workmanship and metallurgy, rigid and durable frame, Category II, adaptable for 90 Hp tractor or higher, four bottoms (4x26"), carbon steel discs (imported) at 5mm minimum thickness, three-point hitching system, adjustable and detachable shanks/standard using appropriate clamps, bolts and nuts, minimum working depth of 12 inches, complete with scrapers, parking stand, set of hitch pins, locks, other accessories and set of tools.	A.2	Brand new, heavy duty, locally fabricated with good workmanship and metallurgy, rigid and durable frame, Category II, adaptable for 90 Hp tractor or higher, four bottoms (4x26"), carbon steel discs (imported) at 5mm minimum thickness, three-point hitching system, adjustable and detachable shanks/standard using appropriate clamps, bolts and nuts, minimum working depth of <b>10 inches</b> , complete with scrapers, parking stand, set of hitch pins, locks, other accessories and set of tools.
A.7	Back-dozer, 2 units ( <i>for Massey Ferguson</i> )	A.7	Back-dozer, 2 units ( <del>for Massey Ferguson</del> )
A.8	Brand new, heavy duty, imported with good workmanship and metallurgy, Category II, compatible for 90 Hp Tractor or higher, complete with its hydraulic sets, accessories and fittings. Including installation, operation and maintenance training.	A.8	Brand new, heavy duty, imported with good workmanship and metallurgy, Category II, compatible for 90 Hp Tractor or higher, complete with its <del>hydraulic-sets</del> , accessories and fittings. Including installation, operation and maintenance training.
B.13		B.13	<b>A notarized undertaking confirming compliance with the required specifications for each farm implement must be submitted during the bid</b>



SUGAR REGULATORY ADMINISTRATION  
HUMAN RESOURCE & RECORDS SECTION  
DOCUMENT ARCHIVING SYSTEM

SRA-VIS-1117764



Management System  
ISO 9001:2015  
[www.tuv.com](http://www.tuv.com)  
ID: 3105025402



			opening. Additionally, the offered unit will undergo a thorough inspection upon delivery to ensure adherence to the specified requirements. Failure to comply with these requirements will necessitate the replacement of the unit.
--	--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Responses to Prospective Bidder's Queries:


Bidder	Section	Item	SRA Requirement/ Specification	Recommendations	Comments
<b>P.I. FARM PRODUCTS, INC.</b>	Section VII. Technical Specifications	B.1	AMTEC Test Result – R.A. 10601 Farm Implements must have AMTEC Test Result provided by AMTEC to be submitted together with the bidding documents. If specifications stated in the brochure are different from the AMTEC Test Result, the AMTEC Test shall prevail.  AMTEC Test Results shall not be required for Inter-Row Cultivator (Cut-away), back-dozer, and trailer.	To require the AMTEC Test Result for the Trailer (Five tonner-hydraulic) which is a requirement for procurement of equipment and machineries under R.A. 10601.	<b>Denied.</b> As agreed upon by the body, a notarized undertaking will suffice in lieu of the AMTEC test result.
	Section VI. Schedule of Requirements		1 lot Farm Implements	Requesting for separate lots for Trailer, (Five tonner-hydraulic) Moldboard Plow, Back-Dozer and Furrower.	<b>Denied.</b> The end user prefers to do it in one lot only.
<b>AGRICOM VISAYAS, INC.</b>	Section VII. Technical Specifications	A.5 A.6	Moldboard Plow, 5 units  Brand new, heavy duty, locally fabricated with good workmanship and metallurgy, fully welded joints, rigid and durable frame, Category II, adaptable for 90 Hp tractor or higher, three-point hitching system, three (3) adjustable and detachable shanks (1 ½" minimum thickness) using appropriate clamps, bolts and nuts, minimum working depth of 16 inches (40.64 cm), complete with parking stand, set of hitch pins, locks, other accessories and set of tools. Moldboard, standard, frame, landside and frog shall be made from cast iron and/or mild steel and carbon steel for share.	Requesting clarification on the required shanks/ standard/ leg thickness, as during the AMTEC Testing, no data was obtained for the parameter. It is requested that this requirement be subject to inspection during the post-qualification evaluation or to require the bidder to submit a Notarized Affidavit of Undertaking that they will provide the required thickness for the standard/ shanks and other required specification subject to post-qualification evaluation of the actual unit.	<b>Accepted.</b>
	Section VII. Technical Specifications.	B.1	AMTEC Test Result – R.A. 10601 requires that Farm Implements must have AMTEC Test Result provided by AMTEC to be submitted together with the bidding documents. If specifications stated in the brochure are different from the	Requesting to retain the required AMTEC Test Report for selected farm implements only.  Although the requirement of AMTEC Test Report or equivalent report from other testing centers for	<b>Accepted.</b>

			<p>AMTEC Test Result, the AMTEC Test shall prevail.</p> <p>AMTEC Test Results shall not be required for Inter-row Cultivator (Cut-away), back-dozer, and trailer.</p>	<p>agricultural machinery has been stated in the law, the agency and its end-users may opt to omit such requirement to avoid limiting the procurement to only one or a few bidders. To ensure that the required specifications are followed as posted, the agency must require the Notarized Affidavit of Undertaking stating that bidders must provide the units in compliance with the required specifications.</p>	
<b>ALL CERTIFIED EQUIPMENT TRADING CORPORATION</b>	Section VII. Technical Specifications	<p>A.7</p> <p>A.8</p>	<p>Back-dozer, 2 units (for Massey Ferguson)</p> <p>Brand new, heavy duty, imported with good workmanship and metallurgy, Category II, compatible for 90 Hp Tractor or higher, complete with its hydraulic sets, accessories and fittings. Including installation, operation and maintenance training.</p>	<p>To remove the criteria “complete with its hydraulic sets, accessories and fittings” as that this implement is used by a three-point hitch linkage and does not have a hydraulic system.</p> <p>To remove the label “(for Massey Ferguson)” because this implement is a universal one which is used by a three – point hitch linkage and is suitable for any brand of tractor.</p>	<b>Accepted.</b>
	Section VII. Technical Specifications	B.1	<p>AMTEC Test Result – R.A. 10601. Farm Implements must have AMTEC Test Result provided by AMTEC to be submitted together with the bidding documents. If specifications stated in the brochure are different from the AMTEC Test Result, the AMTEC Test shall prevail. AMTEC Test Results shall not be required for Inter-row Cultivator (Cut-away), back-dozer, and trailer.</p>	<p>To retain the provision to not require the AMTEC Test Result for inter-row cultivators(cut-away), back-dozer, and trailer.</p> <p>Most suppliers do not have AMTEC Test Report for the following implements as this is seldom required by different procuring entities. In the absence of the AMTEC Test Result, the bidder shall submit a Certificate of Undertaking stating that the bidder will comply the required specification given by the procuring entity.</p>	<b>Accepted.</b>
	Section VII. Technical Specifications	B.12	<p>Warranty Period/ Coverage of Warranty: Three (3) years on parts and services excluding consumable parts</p>	<p>To specify the warranty covers “Frame and Frame Gang only.”</p> <p>This is to be more specific on the warranty coverage of each implement.</p>	<b>Denied.</b> Some other parts of the implements are still part of the warranty.

The Supplemental/Bid Bulletin No. 1 shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the guidance and information of all concerned.

Issued this 2<sup>nd</sup> day of December 2024.



**ATTY. GUILLERMO C. TEJIDA III**  
Chairperson, Regional Bids and Awards Committee