



Republic of the Philippines
Department of Agriculture

SUGAR REGULATORY ADMINISTRATION

Sugar Center Bldg., North Avenue, Diliman, Quezon City, Philippines 1101

TIN 000-784-336

Website: <http://www.sra.gov.ph>

Email Address: srahead@sra.gov.ph

Tel No. (632) 8929-3633, (632) 3455-2135, (632) 3455-3376

SUGAR REGULATORY ADMINISTRATION

North Avenue., Diliman, Quezon City

BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 1

This **Supplemental Bid Bulletin No. 1** dated **05 June 2025** is issued to inform the prospective bidders of the following amendments, modifications and clarifications on the items in the Philippine Bidding Documents (PBDs) for the **PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT** as previously posted in the Philippine Government Electronic Procurement System (PhilGEPS) and the Sugar Regulatory Administration (SRA) website. This Supplemental Bid Bulletin shall form an integral part of the Bidding Documents.

ORIGINAL BID DOCUMENT					CLARIFICATIONS/CORRECTIONS/CHANGES				
<p><i>Section I. Invitation to Bid</i></p> <p><i>SRA Social Hall, Sugar Regulatory Administration, North Avenue, Diliman, Quezon City</i></p>					<p><i>Section I. Invitation to Bid</i></p> <p><u>IAD QMS Room 3rd floor, North Avenue, Diliman, Quezon City</u></p>				
<p><i>Section VI. Schedule of Requirements</i></p> <p>The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.</p>					<p><i>Section VI. Schedule of Requirements</i></p> <p>The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.</p>				
Item Number	Description	Quantity	Total	Delivered, Weeks/Months	Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT • 2 UNITS - DISC PLOW <u>1 unit-Pampanga</u> <u>1 unit-Cotabato</u> <i>(Refer to Section VII. Technical Specifications)</i>	2 units	1	Within Sixty (60) Calendar Days upon receipt of Notice to Proceed		PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT • 2 UNITS - DISC PLOW <u>1 unit-Pampanga</u> <u>1 unit-Cotabato</u> <i>(Refer to Section VII. Technical Specifications)</i>	2 units	1	Within Sixty (60) Calendar Days upon receipt of Notice to Proceed
	• 2 UNITS - MOLDBOARD PLOW <u>1 unit - Tarlac</u>	2 units				• 2 UNITS - MOLDBOARD PLOW <u>1 unit - Tarlac</u>	2 units		



SUPPLEMENTAL BID BULLETIN 1:
PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT



Management System
ISO 9001:2015

www.tuv.com
ID 9105085567



<p><u>1 unit - Don Pedro, Batangas</u> 3 Bottom Moldboard Plow (Refer to Section VII. Technical Specifications)</p>	3 units				<p><u>1 unit - Don Pedro, Batangas</u> 3 Bottom Moldboard Plow (Refer to Section VII. Technical Specifications)</p>	3 units			
<p>• 3 UNITS MOLDBOARD PLOW <u>3 units - Bukidnon</u> Single Bottom Moldboard Plow (Refer to Section VII. Technical Specifications)</p>	7 units				<p>• 3 UNITS MOLDBOARD PLOW <u>3 units - Bukidnon</u> Single Bottom Moldboard Plow (Refer to Section VII. Technical Specifications)</p>	7 units			
<p>• 7 UNITS FURROWER <u>2-Shank furrower:</u> <u>3 units - Bukidnon</u> <u>1 unit - Cotabato</u></p>	1 unit				<p>• 7 UNITS FURROWER <u>2-Shank furrower:</u> <u>3 units - Bukidnon</u> <u>1 unit - Cotabato</u></p>	1 unit			
<p><u>3-Shank furrower:</u> <u>1 unit - Pampanga</u> <u>1 unit - Tarlac</u> <u>1 unit - Don Pedro, Batangas</u> (Refer to Section VII. Technical Specifications)</p>					<p><u>3- Furrower:</u> <u>1 unit - Pampanga</u> <u>1 unit - Tarlac</u> <u>1 unit - Don Pedro, Batangas</u> (Refer to Section VII. Technical Specifications)</p>				
<p>• TRAILER <u>1 unit - Balayan, Batangas</u> Agricultural Trailer (Refer to Section VII. Technical Specifications) (Refer to Section VII. Technical Specifications)</p>					<p>• TRAILER <u>1 unit - Balayan, Batangas</u> Agricultural Trailer (Refer to Section VII. Technical Specifications) (Refer to Section VII. Technical Specifications)</p>				
<p>Note: All agricultural equipment shall be accompanied with AMTEC Test Report;</p>					<p>Note: All agricultural equipment shall be accompanied with <u>Updated</u> AMTEC Test Report; <u>to be Submitted during opening of bids pr within post qualification evaluation period.</u></p>				
<p>With one (1) year Warranty against factory defect</p>					<p>With one (1) year Warranty against factory defect</p>				
<p>A Certificate of Accreditation (CoA) from the National Agricultural and Fisheries Machinery Assemblers,</p>					<p><u>An updated</u> Certificate of Accreditation (CoA) from the National Agricultural and Fisheries Machinery</p>				



	<p>Manufacturers, Importers, and Dealers Accreditation and Classification (NAMDAC) shall also be part of the requirements in the procurement of agricultural and fisheries machinery and equipment per D.A Memorandum 11, series of 2020 shall be submitted together with the bidding documents.</p> <p>Specifications of the Agricultural Equipment to be submitted by the bidders shall be signed and sealed by a registered professional Agricultural and Biosystems Engineer.</p> <p>Valid and current Permit to Operate for Manufacturers, Fabricators, Assemblers, Distributors, Dealers, Importers, and Exporters (MFADDIE) or MFADDIE Registration issued by the Bureau of Agricultural and Fisheries Engineering (BAFE) per R.A. 10601 and the Department of Agriculture Circular No. 4, Series of 2019 shall be submitted together with the bidding documents.</p>					<p>Assemblers, Manufacturers, Importers, and Dealers Accreditation and Classification (NAMDAC) shall also be part of the requirements in the procurement of agricultural and fisheries machinery and equipment per D.A Memorandum 11, series of 2020 shall be submitted together with the bidding documents.</p> <p>Specifications of the Agricultural Equipment to be submitted by the bidders shall be signed and sealed by a registered professional Agricultural and Biosystems Engineer.</p> <p>Valid and current Permit to Operate for Manufacturers, Fabricators, Assemblers, Distributors, Dealers, Importers, and Exporters (MFADDIE) or MFADDIE Registration issued by the Bureau of Agricultural and Fisheries Engineering (BAFE) per R.A. 10601 and the Department of Agriculture Circular No. 4, Series of 2019 shall be submitted together with the bidding documents.</p>			



Section VII. Technical Specifications

PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT LOT 2

MOLDBOARD PLOW

3 Bottom Moldboard Plow

1 unit – Tarlac

1 unit – Don Pedro, Batangas

Description	Details
Brand New, Three-bottom, CAT II, Three-point hitched	
Mainframe	4" x 4" or its better equivalent
Depth of Cut	Not less than 16 inches
For Sugarcane Land Preparation	
Adjustable and Detachable Shanks, good workmanship and metallurgy	
Complete with Grubber Point, Parking Stand, Hitch Pins, and other standard accessories	
With AMTEC Test report	
With one (1) year warranty	

LOT 3

MOLDBOARD PLOW

Single Bottom Moldboard Plow

3 units – Bukidnon

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched, customized	
Number of shanks	Single bottom with hard plastic sheets covering the wings or blade
Depth of cut	Not less than 16 inches
Main Frame	5" x 5" or better equivalent
Complete with standard accessories like parking stand, hitch pins, etc., good workmanship and metallurgy	
With AMTEC Test report	

Section VII. Technical Specifications

PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT LOT 2

MOLDBOARD PLOW

3 Bottom Moldboard Plow

1 unit – Tarlac

1 unit – Don Pedro, Batangas

Description	Details
Brand New, Three-bottom, CAT II, Three-point hitched	
Mainframe	4" x 4" or its better equivalent
<u>Average</u> Depth of Cut	Not less than 16 inches
For Sugarcane Land Preparation	
Adjustable and Detachable Shanks, good workmanship and metallurgy	
Complete with Grubber Point, Parking Stand, Hitch Pins, and other standard accessories	
With AMTEC Test report	
With one (1) year warranty	

LOT 3

MOLDBOARD PLOW

Single Bottom Moldboard Plow

3 units – Bukidnon

DESCRIPTION	DETAILS
Brand New, Imported or Fabricated, CAT II, Three-point hitched, customized	
Number of shanks	Single bottom with hard plastic sheets covering the wings or blade
<u>Average</u> Depth of cut	Not less than 16 inches
Main Frame	5" x 5" or better equivalent
Complete with standard accessories like parking stand, hitch pins, etc., good workmanship and metallurgy	
With AMTEC Test report	
With one (1) year warranty	



SUPPLEMENTAL BID BULLETIN 1:
PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT



Management
System
ISO 9001:2015
www.tuv.com
ID 9105085567



With one (1) year warranty			
LOT 4 FURROWER <u>2-Shank Furrower</u> 3 units – Bukidnon 1 unit – Cotabato		LOT 4 FURROWER <u>2-Shank Furrower</u> 3 units – Bukidnon 1 unit – Cotabato	
Description	Details	Description	Details
Brand New, Imported or Fabricated, CAT II, Three-point hitched		Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Depth of Cut	Not less than 12 inches	<u>Average</u> Depth of Cut	Not less than 12 inches
Shanks	Two-bottom adjustable and detachable shanks, applicable for 1.3m-1.5m furrow distance	Shanks	Two-bottom adjustable and detachable shanks, applicable for 1.3m-1.5m furrow distance
Main Frame	4" x 4" of better equivalent	Main Frame	4" x 4" of better equivalent
For sugarcane land preparation		For sugarcane land preparation	
Complete with standard accessories, good workmanship and metallurgy		Complete with standard accessories, good workmanship and metallurgy	
With AMTEC test report		With AMTEC test report	
With one (1) year warranty		With one (1) year warranty	
FURROWER <u>3-Shank Furrower</u> 1 unit – Pampanga 1 unit – Tarlac 1 unit – Don Pedro, Batangas		FURROWER <u>3-Shank Furrower</u> 1 unit – Pampanga 1 unit – Tarlac 1 unit – Don Pedro, Batangas	
Description	Details	Description	Details
Brand New, Imported or Fabricated, CAT II, Three-point hitched		Brand New, Imported or Fabricated, CAT II, Three-point hitched	
Depth of Cut	Not less than 12 inches	<u>Average</u> Depth of Cut	Not less than 12 inches
Shanks	Three-bottom adjustable and detachable shanks, applicable for 1.3m- 1.5 m furrow distance	Shanks	Three-bottom adjustable and detachable shanks, applicable for 1.3m- 1.5 m furrow distance
Main Frame	4" x 4" or better equivalent	Main Frame	4" x 4" or better equivalent
For sugarcane land preparation		For sugarcane land preparation	



Complete with standard accessories, good workmanship and metallurgy		Complete with standard accessories, good workmanship and metallurgy																																																	
With AMTEC Test report		With AMTEC Test report																																																	
With one (1) year warranty		With one (1) year warranty																																																	
LOT 5 TRAILER Agricultural Trailer 1 unit – Balayan, Batangas		LOT 5 TRAILER Agricultural Trailer 1 unit – Balayan, Batangas																																																	
<table><tr><th>Description</th><th>Details</th></tr><tr><td colspan="2">Brand New, fabricated, adaptable to 90-120hp 4WD Tractor</td></tr><tr><td>Capacity</td><td>5 tons</td></tr><tr><td>Over-all dimensions of the body:</td><td></td></tr><tr><td>Length</td><td>10ft (304.88 cm)</td></tr><tr><td>Width</td><td>5 ft (152.44cm)</td></tr><tr><td>Height of Sidings</td><td>2 ft (60.97cm)</td></tr><tr><td>With hinged sideboards (drop side)</td><td>complete with sturdy locks</td></tr><tr><td>Hitch Frame</td><td>5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent</td></tr><tr><td>Mainframe dimensions</td><td>5 inches x 2.5 inches Channel bar with standard thickness; with MS Plate siding walls or better equivalent</td></tr><tr><td>Trailer bed support frame dimensions</td><td>4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent</td></tr><tr><td>Siding Support Dimensions</td><td>3 inches x 2 inches channel bar with standard thickness;</td></tr></table>		Description	Details	Brand New, fabricated, adaptable to 90-120hp 4WD Tractor		Capacity	5 tons	Over-all dimensions of the body:		Length	10ft (304.88 cm)	Width	5 ft (152.44cm)	Height of Sidings	2 ft (60.97cm)	With hinged sideboards (drop side)	complete with sturdy locks	Hitch Frame	5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent	Mainframe dimensions	5 inches x 2.5 inches Channel bar with standard thickness; with MS Plate siding walls or better equivalent	Trailer bed support frame dimensions	4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent	Siding Support Dimensions	3 inches x 2 inches channel bar with standard thickness;	<table><tr><th>Description</th><th>Details</th></tr><tr><td colspan="2">Brand New, fabricated, adaptable to 90-120hp 4WD Tractor</td></tr><tr><td>Capacity</td><td>5 tons</td></tr><tr><td>Over-all dimensions of the body:</td><td></td></tr><tr><td>Length</td><td>10ft (304.88 cm)</td></tr><tr><td>Width</td><td>5 ft (152.44cm)</td></tr><tr><td>Height of Sidings</td><td>2 ft (60.97cm)</td></tr><tr><td>With hinged sideboards (drop side)</td><td>complete with sturdy locks</td></tr><tr><td>Hitch Frame</td><td>5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent</td></tr><tr><td>Mainframe dimensions</td><td>5 inches x 2.5 inches Channel bar with standard thickness; or better equivalent with MS Plate siding walls or better equivalent</td></tr><tr><td>Trailer bed support frame dimensions</td><td>4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent</td></tr><tr><td>Siding Support Dimensions</td><td>3 inches x 2 inches channel bar with</td></tr></table>		Description	Details	Brand New, fabricated, adaptable to 90-120hp 4WD Tractor		Capacity	5 tons	Over-all dimensions of the body:		Length	10ft (304.88 cm)	Width	5 ft (152.44cm)	Height of Sidings	2 ft (60.97cm)	With hinged sideboards (drop side)	complete with sturdy locks	Hitch Frame	5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent	Mainframe dimensions	5 inches x 2.5 inches Channel bar with standard thickness; or better equivalent with MS Plate siding walls or better equivalent	Trailer bed support frame dimensions	4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent	Siding Support Dimensions	3 inches x 2 inches channel bar with
Description	Details																																																		
Brand New, fabricated, adaptable to 90-120hp 4WD Tractor																																																			
Capacity	5 tons																																																		
Over-all dimensions of the body:																																																			
Length	10ft (304.88 cm)																																																		
Width	5 ft (152.44cm)																																																		
Height of Sidings	2 ft (60.97cm)																																																		
With hinged sideboards (drop side)	complete with sturdy locks																																																		
Hitch Frame	5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent																																																		
Mainframe dimensions	5 inches x 2.5 inches Channel bar with standard thickness; with MS Plate siding walls or better equivalent																																																		
Trailer bed support frame dimensions	4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent																																																		
Siding Support Dimensions	3 inches x 2 inches channel bar with standard thickness;																																																		
Description	Details																																																		
Brand New, fabricated, adaptable to 90-120hp 4WD Tractor																																																			
Capacity	5 tons																																																		
Over-all dimensions of the body:																																																			
Length	10ft (304.88 cm)																																																		
Width	5 ft (152.44cm)																																																		
Height of Sidings	2 ft (60.97cm)																																																		
With hinged sideboards (drop side)	complete with sturdy locks																																																		
Hitch Frame	5 inches x 2.5 inches channel bar with standard thickness; complete w/ braces with the same dimensions and materials, fully welded or better equivalent																																																		
Mainframe dimensions	5 inches x 2.5 inches Channel bar with standard thickness; or better equivalent with MS Plate siding walls or better equivalent																																																		
Trailer bed support frame dimensions	4 inches x 2 inches Channel bar with standard thickness: with MS Plate flooring or better equivalent																																																		
Siding Support Dimensions	3 inches x 2 inches channel bar with																																																		



	with MS Plate siding walls or better equivalent		standard thickness; with MS Plate siding walls or better equivalent
With provision for height extension of sidings; complete with detachable height extension post		With provision for height extension of sidings; complete with detachable height extension post	
Single axle that can withstand the 5-ton capacity; with 17 Rim x 14 PR wheel, the part connecting the axle to the main frame shall be fully welded.		Single axle that can withstand the 5-ton capacity; with 16 or 17 Rim x 14 PR double tire wheel, the part connecting the axle to the main frame shall be fully welded.	
Good Workmanship and metallurgy; all materials are painted with anti- corrosive paint		Good Workmanship and metallurgy; all materials are painted with anti- corrosive paint	
With standard accessories including hitch pin		With standard accessories including hitch pin	
With AMTEC Test Report		With AMTEC Test Report	
One (1) year warranty against factory defect		One (1) year warranty against factory defect	

Prepared by:

Michael Lester S. Chavez
MICHAEL LESTER S. CHAVEZ
 Alternate Head, BAC Secretariat

Approved by:

Ronald E. Rimando
ATTY. RONALD E. RIMANDO
 Chairperson, Bids and Awards Committee



SUPPLEMENTAL BID BULLETIN 1:
 PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL EQUIPMENT



Management
 System
 ISO 9001:2015
 www.tuv.com
 ID 9105085567

